

FITS LIKE A GLOVE. HOLDS LIKE A FIST.



Padded Dorsal
D-Ring And
Shoulder Assembly

D-Rings Have
A Protective
Roller To Reduce
Web Abrasion

Dual Fall Tab
Indicators

Removable Tool Belt

Dual Lanyard Keepers
For Stowing Unused
Leg(s) Of Connectors

Quick-Connect Buckles
(Chest and Legs)

4" Comfort Padding
With D-Rings For
Work Positioning



Take your fall protection to the next level with the **Evolve™ Full Body Harness**. All of our harnesses come standard with 5 points of adjustment for a superior fit and maximized comfort, dual lanyard keepers to store lanyards when not in use, dual fall indicators for faster inspection, and plastic roller wear pads that reduce wear on the webbing material. Our harnesses are made with high quality, durable materials that take worker comfort into consideration.

Product #: RL-15502GB

* For all of the same features above, but with quick-connect leg straps, order product: RL-15502DB



Product #: RL-15502D



Evolve™ Deluxe Universal Fit Full Body Harness
 (Single Back D-Ring, 2 Side D-Ring Work Positioning Comfort Back Pad with Removable Tool Belt, Shoulder Padding, Dual Lanyard Keepers, Dual Fall Indicators, Quick-Connect Buckle Chest, Tongue Buckle Legs)
Product #: RL-15502GB

- Product Information:**
- Made up of high tenacity polyester webbing - greater than 5,000 lbs. break strength
 - 1 dorsal D-Ring for fall arrest, 2 side D-Rings for Work Positioning
 - 5 point adjustability (chest, legs, and torso)
 - Grommeted Leg straps with Tongue Buckle adjustment
 - Quick-connect chest strap for ease of adjustability
 - 2 Lanyard Keepers for proper stowing of idle lanyard connector(s)
 - Dual Fall Indicators on shoulder straps
 - Meets ANSI Z359.1-2007



Evolve™ Deluxe Universal Fit Full Body Harness
 (Single Back D-Ring, 2 Side D-Ring Work Positioning Comfort Back Pad with Removable Tool Belt, Shoulder Padding, Dual Lanyard Keepers, Dual Fall Indicators, Quick-Connect Buckles Chest and Legs)
Product #: RL-15502DB

- Product Information:**
- Made up of high tenacity polyester webbing - greater than 5,000 lbs. break strength
 - 1 dorsal D-Ring for fall arrest, 2 side D-Rings for Work Postioning
 - 5 point adjustability (chest, legs, and torso)
 - Quick-connect leg and chest straps for ease of adjustability
 - 2 Lanyard Keepers for proper stowing of idle lanyard connector(s)
 - Dual Fall Indicators on shoulder straps
 - Meets ANSI Z359.1-2007



Evolve™ Universal Fit Full Body Harness (Single Back D-Ring, Dual Lanyard Keepers, Dual Fall Indicators, Mating Buckle Legs)
Product #: RL-15502D

- Product Information:**
- Made up of high tenacity polyester webbing - greater than 5,000 lbs. break strength
 - 1 dorsal D-Ring for fall arrest
 - 5 point adjustability (chest, legs, and torso)
 - Pass Thru Mating Buckle leg and chest straps for ease of adjustability
 - 2 Lanyard Keepers for proper stowing of idle lanyard connector(s)
 - Dual Fall Indicators on shoulder straps
 - Meets ANSI Z359.1-2007



Product #: RL-15502G
Evolve™ Universal Fit Full Body Harness (Single Back D-Ring, Dual Lanyard Keepers, Dual Fall Indicators, Tongue Buckle Legs)

Product Information:

- Made up of high tenacity polyester webbing - greater than 5,000 lbs. break strength
- 1 dorsal D-Ring for fall arrest
- 5 point adjustability (chest, legs, and torso)
- Grommeted Leg straps with Tongue Buckle adjustment
- Pass Thru Mating Buckle chest strap for ease of adjustability
- 2 Lanyard Keepers for proper stowing of idle lanyard connector(s)
- Dual Fall Indicators on shoulder straps
- Meets ANSI Z359.1-2007



Product #: RL-15503D
Evolve™ Universal Fit Full Body Harness (Single Back D-Ring, 2 Side D-Rings, Dual Lanyard Keepers, Dual Fall Indicators, Mating Buckle Legs)

Product Information:

- Made up of high tenacity polyester webbing - greater than 5,000 lbs. break strength
- 1 dorsal D-Ring for fall arrest, 2 side D-Rings for Work Positioning
- 5 point adjustability (chest, legs, and torso)
- Pass Thru Mating Buckle leg and chest straps for ease of adjustability
- 2 Lanyard Keepers for proper stowing of idle lanyard connector(s)
- Dual Fall Indicators on shoulder straps
- Meets ANSI Z359.1-2007



Product #: RL-15503G
Evolve™ Universal Fit Full Body Harness (Single Back D-Ring, 2 Side D-Rings, Dual Lanyard Keepers, Dual Fall Indicators, Tongue Buckle Legs)

Product Information:

- Made up of high tenacity polyester webbing - greater than 5,000 lbs. break strength
- 1 dorsal D-Ring for fall arrest, 2 side D-Rings for Work Positioning
- Grommeted Leg straps with Tongue Buckle adjustment
- 5 point adjustability (chest, legs, and torso)
- Pass Thru Mating Buckle chest strap for ease of adjustability
- 2 Lanyard Keepers for proper stowing of idle lanyard connector(s)
- Dual Fall Indicators on shoulder straps
- Meets ANSI Z359.1-2007



Product #: RL-8-0161; RL-8-0184
Deluxe Women's Harness
 (Single Back D-Ring, Lanyard Keeper, 2 Fall Indicators, Mating Buckle Adjusters)

Product Information:

- Made of abrasion-resistant polyester webbing
- 5 point adjustability (chest, legs, and torso)
- Oversized tongue buckles on each leg strap
- Lanyard keeper for storage of lanyard when not in use
- Strap keepers for storing extra strap
- Dual fall indicators on shoulder straps
- Meets ANSI Z359.1-2007

Full Body Harness Selector Guide	RL-15502D	RL-15502G	RL-15503D	RL-15503G	RL-15502DB	RL-15502GB	8-0184
Use	Fall Arrest and Restraint		Fall Arrest, Restraint, and Positioning				Fall Arrest and Restraint
Working Load (User & Tools)	Up to 310 lbs.						
Material	High Tenacity Polyester Webbing						
D-Rings	Dorsal		Dorsal & Side				Dorsal
Chest Adjuster Style	Pass Thru Mating Buckle				Quick-Connect		Pass Thru Mating Buckle
Leg Strap	Mating Buckle	Grommeted Leg Straps with Tongue Buckle Adjustments	Mating Buckle	Grommeted Leg Straps with Tongue Buckle Adjustments	Quick-Connect	Grommeted Leg Straps with Tongue Buckle Adjustments	Mating Buckle
Padding	No				Yes		

Warning - Applications involving aggressive atmospheres and environments may require the use of specialized Fall Protection Harnesses. Please contact us for more information.