




50kg

# Castors for Furniture Series 5920

Housing made of Polyamide, injected  
Load capacity tested according EN 12528



	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]		Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number
Swivel Casters										
	35	11	52	10		37	31	50		<b>5920UOI035L51-10 LOW</b>
	35	11	52	9		37	31	50		<b>5920UOI035L51-9 LOW</b>

Swivel Casters										Order number
	35	11	52	10		37	44.5	50		<b>5920UOI035L51-10 HIGH</b>


Swivel Casters with wheel brake										Order number
	35	11	52	10		45	31	50		<b>5925UOI035L51-10 LOW</b>
	35	11	52	9		45	31	50		<b>5925UOI035L51-9 LOW</b>

Swivel Casters with wheel brake										Order number
	35	11	52	10		45	44.5	50		<b>5925UOI035L51-10 HIGH</b>

<p><b>Wheel: UOI</b> Wheel made of Polyamide, plain bearing</p>	<p><b>RAL 9006</b> All versions also available in RAL 9006 painted and in silver injected. Indicate painted or injected when ordering.</p>	<p><b>Fittings</b> Matching fittings can be found on page 189.</p>
---	--	--

40kg

# Castors for Furniture Series 5920

 Housing made of Polyamide, injected  
 Load capacity tested according EN 12528


	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]	Order number
Swivel Casters									
	40	12	52	10	15.2	39	33.5	40	<b>5920PJI040L51-10 LOW</b>
Swivel Casters									
	40	12	52	10	15.2	37	47	40	<b>5920PJI040L51-10 HIGH</b>
Swivel Casters with wheel brake									
	40	12	52	10	15.2	45	33.5	40	<b>5925PJI040L51-10 LOW</b>
Swivel Casters with wheel brake									
	40	12	52	10	15.2	45	47	40	<b>5925PJI040L51-10 HIGH</b>


<p><b>Wheel: PJI</b>                  Wheel center: Polypropylene, Tread: TENTEprene (thermoplastic rubber), plain bearing</p>	<p><b>Large color range</b>                  All casters available in other colors. Contact us for more details.</p>	<p><b>Fittings</b>                  Matching fittings can be found on page 189.</p>
--	--	---



50kg

# Castors for Furniture Series 5920

Housing made of Polyamide, injected  
Load capacity tested according EN 12528



	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number
Swivel Casters										
	65	7	46	10	23	53	68	50		<b>5920UOI065L51-10 DOM23</b>
	65	7	46	10	27	53	68	50		<b>5920UOI065L51-10 DOM27</b>
	65	7	46	10	32	53	68	50		<b>5920UOI065L51-10 DOM32</b>
	65	7	46	10	23	53	68	50		<b>5920XOI065L51-10 DOM23</b>
	65	7	46	10	27	53	68	50		<b>5920XOI065L51-10 DOM27</b>
	65	7	46	10	32	53	68	50		<b>5920XOI065L51-10 DOM32</b>

	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number
Swivel Casters with wheel brake										
	65	7	46	10	23	77	68	50		<b>5925UOI065L51-10 DOM23</b>
	65	7	46	10	27	77	68	50		<b>5925UOI065L51-10 DOM27</b>
	65	7	46	10	32	77	68	50		<b>5925UOI065L51-10 DOM32</b>
	65	7	46	10	23	77	68	50		<b>5925XOI065L51-10 DOM23</b>
	65	7	46	10	27	77	68	50		<b>5925XOI065L51-10 DOM27</b>
	65	7	46	10	32	77	68	50		<b>5925XOI065L51-10 DOM32</b>

	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number
Swivel Casters										
	65	7	42	10	23	53	68	50		<b>5920UJI065L51-10 DOM23</b>
	65	7	42	10	27	53	68	50		<b>5920UJI065L51-10 DOM27</b>
	65	7	42	10	32	53	68	50		<b>5920UJI065L51-10 DOM32</b>
	65	7	42	10	23	53	68	50		<b>5920XGI065L51-10 DOM23</b>
	65	7	42	10	27	53	68	50		<b>5920XGI065L51-10 DOM27</b>
	65	7	42	10	32	53	68	50		<b>5920XGI065L51-10 DOM32</b>


	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number
Swivel Casters with wheel brake										
	65	7	42	10	23	77	68	50		<b>5925UJI065L51-10 DOM23</b>
	65	7	42	10	27	77	68	50		<b>5925UJI065L51-10 DOM27</b>
	65	7	42	10	32	77	68	50		<b>5925UJI065L51-10 DOM32</b>
	65	7	42	10	23	77	68	50		<b>5925XGI065L51-10 DOM23</b>
	65	7	42	10	27	77	68	50		<b>5925XGI065L51-10 DOM27</b>
	65	7	42	10	32	77	68	50		<b>5925XGI065L51-10 DOM32</b>

	<b>Wheel: UOI</b> Wheel made of Polyamide, plain bearing		<b>Wheel: UJI</b> Wheel center: Polyamide, Tread: TENTEprene (thermoplastic rubber), plain bearing		<b>Wheel: XOI electric conductive</b> Wheel made of Polyamide, plain bearing		<b>Wheel: XGI electric conductive</b> Wheel center: Polyamide, Tread: TENTEprene (thermoplastic rubber), plain bearing
--	---	--	---	--	---	--	---

50kg

# Castors for Furniture Series 5920

Housing made of Polyamide, injected  
Load capacity tested according EN 12528




	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number
Swivel Casters										
	65	7	46	10	23	53	68	50		5920UOI065L51-10 DOM23 ALU
	65	7	46	10	27	53	68	50		5920UOI065L51 DOM27 ALU
	65	7	46	10	32	53	68	50		5920UOI065L51 DOM32 ALU
Swivel Casters with wheel brake										Order number
	65	7	46	10	23	77	68	50		5925UOI065L51-10 DOM23 ALU
	65	7	46	10	27	77	68	50		5925UOI065L51 DOM27 ALU
	65	7	46	10	32	77	68	50		5925UOI065L51 DOM32 ALU
Swivel Casters										Order number
	65	7	42	10	23	53	68	50		5920UJI065L51-10 DOM23 ALU
	65	7	42	10	27	53	68	50		5920UJI065L51 DOM27 ALU
	65	7	42	10	32	53	68	50		5920UJI065L51 DOM32 ALU
Swivel Casters with wheel brake										Order number
	65	7	42	10	23	77	68	50		5925UJI065L51-10 DOM23 ALU
	65	7	42	10	27	77	68	50		5925UJI065L51 DOM27 ALU
	65	7	42	10	32	77	68	50		5925UJI065L51 DOM32 ALU



**Wheel: UOI**  
Wheel made of Polyamide, plain bearing



**Wheel: UJI**  
Wheel center: Polyamide, Tread: TENTEprene (thermoplastic rubber), plain bearing



**Large color range**  
All casters available in other colors. Contact us for more details.




**Fittings**  
Matching fittings can be found on page 189.



50 - 100kg

# Castors for Furniture Series 5920

Housing made of Polyamide, injected  
Load capacity tested according EN 12528



	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number
Swivel Casters										
	75	8	53	10	20	62	77	50		<b>5920UOI075L51-10 DOM20</b>
	75	8	53	10	20	62	77	50		<b>5920XOI075L51-10 DOM20</b>

	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number
Swivel Casters with wheel brake										
	75	8	53	10	20	87	77	50		<b>5925UOI075L51-10 DOM20</b>
	75	8	53	10	20	87	77	50		<b>5925XOI075L51-10 DOM20</b>

	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number
Swivel Casters										
	75	8	53	10	20	62	77	50		<b>5920UJI075L51-10 DOM20</b>
	75	8	53	10	20	62	77	50		<b>5920XGI075L51-10 DOM20</b>
	100	20	75	11	41	88	101	100		<b>5920UAP100L51-11 DOM41</b>


	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number
Swivel Casters with wheel brake										
	75	8	53	10	20	87	77	50		<b>5925UJI075L51-10 DOM20</b>
	75	8	53	10	20	87	77	50		<b>5925XGI075L51-10 DOM20</b>
	100	20	75	11	41	112	101	100		<b>5925UAP100L51-11 DOM41</b>

	<p><b>Wheel: UOI</b> Wheel made of Polyamide, plain bearing</p>		<p><b>Wheel: UJI</b> Wheel center: Polyamide, Tread: TENTEprene (thermoplastic rubber), plain bearing</p>		<p><b>Wheel: XOI electric conductive</b> Wheel made of Polyamide, plain bearing</p>		<p><b>Wheel: XGI electric conductive</b> Wheel center: Polyamide, Tread: TENTEprene (thermoplastic rubber), plain bearing</p>
--	---	--	---	--	---	--	---

50kg

# Castors for Furniture Series 5920

Housing made of Polyamide, injected  
Load capacity tested according EN 12528



	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number	
Swivel Casters											
	75	8	53	10	20	62	77	50		<b>5920UOI075L51-10 DOM20 ALU</b>	
Swivel Casters with wheel brake										Order number	
	75	8	53	10	20	87	77	50		<b>5925UOI075L51-10 DOM20 ALU</b>	
Swivel Casters										Order number	
	75	8	53	10	20	62	77	50		<b>5920UJI075L51-10 DOM20 ALU</b>	
Swivel Casters with wheel brake										Order number	
	75	8	53	10	20	87	77	50		<b>5925UJI075L51-10 DOM20 ALU</b>	



**Wheel: UOI**  
Wheel made of Polyamide, plain bearing



**Wheel: UJI**  
Wheel center: Polyamide, Tread: TENTEprene (thermoplastic rubber), plain bearing



**Large color range**  
All casters available in other colors. Contact us for more details.




**Fittings**  
Matching fittings can be found on page 189.



80kg

# Castors for Furniture Series 5920

Housing made of Polyamide, injected  
Load capacity tested according EN 12528



	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number
Swivel Casters										
	75	10	64	10	22	60	76	80		<b>5920UOI075L51-10 DOM22</b>
	75	10	64	10	22	60	76	80		<b>5920XOI075L51-10 DOM22</b>

	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number
Swivel Casters with wheel brake										
	75	10	64	10	22	80	76	80		<b>5925UAI075L51-10 DOM22</b>
	75	10	64	10	22	80	76	80		<b>5925XAI075L51-10 DOM22</b>

	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number
Swivel Casters										
	75	10	64	10	22	60	76	80		<b>5920UAI075L51-10 DOM22</b>
	75	10	64	10	22	60	76	80		<b>5920XSI075L51-10 DOM22</b>


	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number
Swivel Casters with wheel brake										
	75	10	64	10	22	80	76	80		<b>5925UAI075L51-10 DOM22</b>
	75	10	64	10	22	80	76	80		<b>5925XSI075L51-10 DOM22</b>

	<b>Wheel: UOI</b> Wheel made of Polyamide, plain bearing		<b>Wheel: UAI</b> Wheel center: Polyamide, Tread: Polyurethane, plain bearing		<b>Wheel: XOI electric conductive</b> Wheel made of Polyamide, plain bearing		<b>Wheel: XSI electric conductive</b> Wheel center: Polyamide, Tread: Polyurethane, plain bearing
--	---	--	--	--	---	--	--

80kg

# Castors for Furniture Series 5920

Housing made of Polyamide, injected and painted  
Load capacity tested according EN 12528




	Wheel diameter [mm]	Tread width [mm]	Caster width [mm]	Center hole [mm]	Dome-Ø [mm]	Swivel Radius [mm]	Overall height [mm]	Load capacity [kg]		Order number
Swivel Casters										
	75	10	64	10	22	60	76	80		<b>5920UOI075L51-10 DM22 RL9006</b>
Swivel Casters with wheel brake										
	75	10	64	10	22	80	76	80		<b>5925UOI075L51-10 DM22 RL9006</b>
Swivel Casters										
	75	10	64	10	22	60	76	80		<b>5920UAI075L51-10 DM22 RL9006</b>
Swivel Casters with wheel brake										
	75	10	64	10	22	80	76	80		<b>5925UAI075L51-10 DM22 RL9006</b>



**Wheel: UOI**  
Wheel made of Polyamide, plain bearing



**Wheel: UAI**  
Wheel center: Polyamide, Tread: Polyurethane, plain bearing



**Large color range**  
Various colours, painted or injected, available upon request. All versions available in RAL 9006 painted.



**Fittings**  
Matching fittings can be found on page 189.